

20080124.ba v04_n137.bam.20080124

>From ???@??? Thu Jan 24 08:48:44 2008 -0600
Date: Thu, 24 Jan 2008 14:47:29 GMT
From: Old Tube Radios <boatanchors@theporch.com>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: BOATANCHORS digest 4137
Message-Id: <20080124144830.867B147006E@srvr1.theporch.com>

BOATANCHORS Digest 4137

Topics covered in this issue include:

- 1) Re: Capacitor replacement quandary (micamolds)
by "Arden Allen" <gumbear@pacbell.net>
- 2) Re: contact cleaner question
by "Arden Allen" <gumbear@pacbell.net>
- 3) Re: Capacitor replacement quandary (micamolds)
by Al Klase <al@ar88.net>
- 4) Re: Capacitor replacement quandary (micamolds)
by "John K9UWA" <k9uwa@arrl.net>
- 5) Re: Capacitor replacement quandary (micamolds)
by "David Stinson" <arc5@ix.netcom.com>
- 6) RE: "Funky" Polish Language Tube Site
by "Ed Zeranski" <ezeran@ezeran.cnc.net>
- 7) Re: contact cleaner question
by wb3fau@att.net
- 8) RE: "Funky" Polish Language Tube Site
by wf2u@ws19ops.com
- 9) Re: "Funky" Polish Language Tube Site
by Steve Berg <wa9jml@tbc.net>
- 10) Re: Capacitor replacement quandary (micamolds)
by WA1KBQ@aol.com
- 11) Re: [Milsurplus] BC-348 part needed
by guillaume gagnon dugas <collins2@globetrotter.net>
- 12) Re: Capacitor replacement quandary (micamolds)
by David Stinson <arc5@ix.netcom.com>
- 13) identify mystery one-tube chassis
by Richard Post <postr@ohiou.edu>
- 14) RE: "Funky" Polish Language Tube Site
by "Ed Zeranski" <ezeran@ezeran.cnc.net>
- 15) RE: "Funky" Polish Language Tube Site
by "Ed Zeranski" <ezeran@ezeran.cnc.net>
- 16) Pigtailling tools unavailable. Awww...
by Zengmeiste@aol.com
- 17) "Funky" Polish Language Tube Site
by Zengmeiste@aol.com
- 18) 6 volts lantern battery

by guillaume gagnon dugas <collins2@globetrotter.net>

Message-ID: <00ac01c85d4a\$cf326a90\$00a1480c@KB6NAX>
From: "Arden Allen" <gumbear@pacbell.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Capacitor replacement quandary (micamolds)
Date: Tue, 22 Jan 2008 14:33:34 -0800
MIME-Version: 1.0
Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

Unfortunately they're no longer available, Jim.

Arden

----- Original Message -----
From: "Jim Hill" <Jim2_w6ivw@cox.net>
To: "Old Tube Radios" <boatanchors@theporch.com>
Cc: <gumbear@pacbell.net>
Sent: Monday, January 21, 2008 8:22 PM
Subject: Re: Capacitor replacement quandary (micamolds)

> At 06:20 PM 1/21/2008, you wrote:
>
> >I still have a set of GC pig-tailing tools. I think I'll take them with
me
> >to the beyond. ;-)
> >
> >Arden Allen
> >KB6NAX
>
> Hi Arden: I wonder if those old pig-tailing tools are still
> available? I brought up the GC Electronic Web Site, and they have
> plenty of tools. Do you have the name or preferably the part
> number? Searching for pigtail or pig-tail brought no results.
> Jim
>

Message-ID: <00ad01c85d4a\$d0628620\$00a1480c@KB6NAX>
From: "Arden Allen" <gumbear@pacbell.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: contact cleaner question
Date: Tue, 22 Jan 2008 14:45:27 -0800
MIME-Version: 1.0

Content-Type: text/plain;
charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

> A major problem with the 'net is that it is not subject to
> peer or expert review - it is often just journalistic excess
> that should be used for fertilising rice paddies.

Assertions and counter-assertions, Brian. The biosphere is a very complex machine and science is only scratching the surface, if you'll excuse my pun. My belief is it's better to be safe than sorry when you are dealing with environmental pollution. To just toss off unproven assertions as just another Hennie Pennie the-sky-is-falling story,forgive me, another pun!

I wonder how the rice harvests are doing.....

Arden Allen
KB6NAX

Message-ID: <4796BDE4.9040904@ar88.net>
Date: Tue, 22 Jan 2008 23:09:08 -0500
From: Al Klase <al@ar88.net>
MIME-Version: 1.0
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Capacitor replacement quandary (micamolds)
Content-Type: text/plain; charset=windows-1252; format=flowed
Content-Transfer-Encoding: 8bit

So, make your own tool. See:
http://www.skywaves.ar88.net/commrx/Maintenance/Compref1/component_replacement.htm

Regards,
Al

Arden Allen wrote:

> Unfortunately they're no longer available, Jim.

>

> Arden

>

> ----- Original Message -----

> From: "Jim Hill" <Jim2_w6ivw@cox.net>

> To: "Old Tube Radios" <boatanchors@theporch.com>

> Cc: <gumbear@pacbell.net>

> Sent: Monday, January 21, 2008 8:22 PM

> Subject: Re: Capacitor replacement quandary (micamolds)

>

>

>
>> At 06:20 PM 1/21/2008, you wrote:
>>
>>
>>> I still have a set of GC pig-tailing tools. I think I'll take them with
>>>
> me
>
>>> to the beyond. ;-)
>>>
>>> Arden Allen
>>> KB6NAX
>>>
>> Hi Arden: I wonder if those old pig-tailing tools are still
>> available? I brought up the GC Electronic Web Site, and they have
>> plenty of tools. Do you have the name or preferably the part
>> number? Searching for pigtail or pig-tail brought no results.
>> Jim
>>
>>
>
>
>

--
Al Klase ñ N3FRQ
Flemington, NJ
<http://www.skywaves.ar88.net/>

From: "John K9UWA" <k9uwa@arrl.net>
To: Old Tube Radios <boatanchors@theporch.com>
Date: Wed, 23 Jan 2008 06:42:39 -0500
MIME-Version: 1.0
Subject: Re: Capacitor replacement quandary (micamolds)
Message-ID: <4796E1DF.7323.3F80E4@k9uwa.arrl.net>
Content-type: text/html; charset=US-ASCII
Content-transfer-encoding: 7BIT
Content-description: Mail message body

<p><pre>
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* To the SENDER of this email: *

* Please don't use HTML tags or 'rich text' here. *

```

*          Set your emailer to turn that off.          *
*****
</pre><p>
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN"
    "http://www.w3.org/TR/xhtml1/DTD/xhtml1-transitional.dtd">
<html xmlns="http://www.w3.org/1999/xhtml" xml:lang="en" lang="en"><head>
<title></title>
<meta http-equiv="content-type" content="text/html; charset=utf-8"/>
<meta http-equiv="Content-Style-Type" content="text/css"/>
</head>
<body>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
Not trying to pick on anyones methods of capacitor and resistor replacement</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
but it seem to me that the this method keeps the original </span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
&quot;Original Craftsmanship&quot; intact.</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
In these pictures your will see the before and the after results. I doubt that</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
anyone can tell the difference between the two pictures.</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">

```

```
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
Every capacitor in the radio was replaced and many of the resistors were
adjusted. All resistors in the curcuits are now within 5% of factory specs</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
which is also closer than the originals. All the old dogbone style resistors</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
tend to go high with age. So not seen in the pictures is below many of them
is a parallellled new one to bring the value back to spec. That now only
brings the resistor into spec but also there are now two there to share the
load so the original one most likely won't have enough heat to shift it much</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
higher with age and use.</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
Maybe it wasn't real quick to fix it this way... but its worth too much money</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
to mess it up.... this one took me 4 days to do the rebuild of both chassis.</
```

```
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
There are 25 tubes in this radio. So there are lots of parts to deal with.</
span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
http://johnjeanantiqueradio.com/strat-restore.htm</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
John k9uwa /w4 snowbird</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
<br />
</span>
</font>
</div>
<div align="left">
<font face="Arial" size="2">
```

```
<span style=" font-size:10pt">
John Goller, K9UWA &amp; Jean Goller, N9PXF </span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
Antique Radio Restorations</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
k9uwa@arrl.net</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
Visit our Web Site at:</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
http://www.JohnJeanAntiqueRadio.com</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
4836 Ranch Road</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
Leo, IN 46765</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
USA</span></font>
</div>
<div align="left">
<font face="Arial" size="2">
<span style=" font-size:10pt">
1-260-637-6426</span></font>
</div>
<div align="left">
&nbsp;</div>
</body>
</html>
```

Message-ID: <000d01c85dbf\$1f240490\$6401a8c0@boudreaux>
From: "David Stinson" <arc5@ix.netcom.com>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Capacitor replacement quandary (micamolds)
Date: Wed, 23 Jan 2008 06:54:38 -0600
MIME-Version: 1.0
Content-Type: text/plain;
 format=flowed;
 charset="iso-8859-1";
 reply-type=original
Content-Transfer-Encoding: 7bit

What a beautiful old set, and what an outstanding job
you've done on it! Thanks for the "eye candy," John.
That's inspiring work.

From: "Ed Zeranski" <ezeran@ezeran.cnc.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: RE: "Funky" Polish Language Tube Site
Date: Wed, 23 Jan 2008 07:20:35 -0800
Message-ID: <EMEPKDEJDNHEMLEAHGKHCEECFCAA.ezeran@ezeran.cnc.net>
MIME-Version: 1.0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

One of the number of languages I have a fairly good knowledge of,
happens to be Hungarian...

73, Meir WF2U
Landrum, SC

I always thought Hungarian and Basque were two European languages separate
from the others. Anyway.....pass the kolbasa....and piva.

EdZ

From: wb3fau@att.net
To: Old Tube Radios <boatanchors@theporch.com>
Cc: "Arden Allen" <gumbear@pacbell.net>
Subject: Re: contact cleaner question
Date: Wed, 23 Jan 2008 15:36:19 +0000
Message-Id:
<012320081536.17597.47975EF300046C7B000044BD22230650029B0A02D29B9B0EBF9A0E00CC0D99

@att.net>

schrimp farms seem to be doing well

Message-ID: <20080123111358.7o5jkgrowkn404g8@webmail.opentransfer.com>
Date: Wed, 23 Jan 2008 11:13:58 -0600
From: wf2u@ws19ops.com
To: Old Tube Radios <boatanchors@theporch.com>
Cc: Old Tube Radios <boatanchors@theporch.com>
Subject: RE: "Funky" Polish Language Tube Site
MIME-Version: 1.0
Content-Type: text/plain;
 charset=ISO-8859-1;
 DelSp="Yes";
 format="flowed"
Content-Disposition: inline
Content-Transfer-Encoding: 7bit

The discussion was about Eastern European languages.

It's true that Basque is a separate, unique language, which doesn't belong in any known language family, most likely pre-dating the Indo-European languages - but it's a Western-European language...

Na zdrowie to your kielbasa and piwo (in Polish...)

73, Meir WF2U
Landrum, Sc

Quoting Ed Zeranski <ezeran@ezeran.cnc.net>:

>
> One of the number of languages I have a fairly good knowledge of,
> happens to be Hungarian...
>
> 73, Meir WF2U
> Landrum, SC
>
> I always thought Hungarian and Basque were two European languages separate
> from the others. Anyway.....pass the kolbasa....and piva.
>
> EdZ
>
>

Message-ID: <479780AB.7040103@tbc.net>
Date: Wed, 23 Jan 2008 12:00:11 -0600
From: Steve Berg <wa9jml@tbc.net>
MIME-Version: 1.0
To: Old Tube Radios <boatanchors@theporch.com>
Cc: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: "Funky" Polish Language Tube Site
Content-Type: text/plain; charset=ISO-8859-1; format=flowed
Content-Transfer-Encoding: 7bit

One of my friends, who used to run racks of r390s in several elint sites, (mandatory BA Content) told me a joke he heard in the Basque part of Spain. It seems that the devil wanted to steal some Basque souls, but did not know the language. So, he hid behind a Basque kitchen door for a year to listen in. After a year of this, the only words he learned were those to say, "Yes dear."

73,

Steve WA9JML

wf2u@ws19ops.com wrote:

>
> The discussion was about Eastern European languages.
>
> It's true that Basque is a separate, unique language, which doesn't
> belong in any known language family, most likely pre-dating the
> Indo-European languages -
> but it's a Western-European language...
>
> Na zdrowie to your kielbasa and piwo (in Polish...)
>
> 73, Meir WF2U
> Landrum, Sc
>
>
> Quoting Ed Zeranski <ezeran@ezeran.cnc.net>:
>
>>
>> One of the number of languages I have a fairly good knowledge of,
>> happens to be Hungarian...
>>
>> 73, Meir WF2U
>> Landrum, SC
>>
>> I always thought Hungarian and Basque were two European languages

>> separate
>> from the others. Anyway.....pass the kolbasa....and piva.
>>
>> EdZ
>>
>>
>
>
>
>

From: WA1KBQ@aol.com
Message-ID: <d2d.1e5174bd.34c92587@aol.com>
Date: Wed, 23 Jan 2008 18:19:35 EST
Subject: Re: Capacitor replacement quandary (micamolds)
To: Old Tube Radios <boatanchors@theporch.com>
MIME-Version: 1.0
Content-Type: text/plain; charset="US-ASCII"
Content-Transfer-Encoding: 7bit

Nice work!! A radio that is easily worth over \$50,000 deserves a careful
meticulous job like that. I'm saving the pictures, this is a rare opportunity to
examine the Mysterious Stratosphere up close and another one may never come
along. Thanks for sharing!
73, Greg

In a message dated 1/23/2008 7:44:09 A.M. Atlantic Standard Time,
k9uwa@arrl.net writes:
<http://johnjeanantiqueradio.com/strat-restore.htm>

*****Start the year off right. Easy ways to stay in shape.
<http://body.aol.com/fitness/winter-exercise?NCID=aolcmp003000000002489>

Date: Wed, 23 Jan 2008 18:29:11 -0500
From: guillaume gagnon dugas <collins2@globetrotter.net>
Subject: Re: [Milsurplus] BC-348 part needed
To: Old Tube Radios <boatanchors@theporch.com>
Cc: Boatanchors List <boatanchors@theporch.com>,
Military Surplus net List <milsurplus@mailman.qth.net>
Message-id: <002701c85e17\$c4539590\$6500a8c0@qq529741f1d16a>
MIME-version: 1.0
Content-type: text/plain; format=flowed; charset=iso-8859-1; reply-type=response
Content-transfer-encoding: 7BIT

i have 2 dozen of bc-348 . if i can help i will be glad to do so.

luc ve2lgj 73

----- Original Message -----

From: <wf2u@ws19ops.com>

To: "Old Tube Radios" <boatanchors@theporch.com>

Cc: "Boatanchors List" <boatanchors@theporch.com>; "Military Surplus net List" <milsurplus@mailman.qth.net>

Sent: Tuesday, January 22, 2008 5:15 PM

Subject: Re: [Milsurplus] BC-348 part needed

> Ed,

>

> I don't know who may have the base, but Bill Perry (William Perry Co.)

> usually has the plug - if my memory doesn't fail me, it's the PL-114.

> Correct me if i'm wrong...

>

> 73, Meir WF2U

> Landrum, SC

>

> Quoting Edward J White <wa3bzt@verizon.net>:

>

>> Hi Gang:

>> I need a base for the BC-348-0 By RCA or at least a power plug. I know

>> this is a hard item at times to locate.

>> Ed

>> WA3BZT

>>

>> -----
>> Milsurplus mailing list

>> Home: <http://mailman.qth.net/mailman/listinfo/milsurplus>

>> Help: <http://mailman.qth.net/mmfaq.htm>

>> Post: <mailto:Milsurplus@mailman.qth.net>

>

>

>

> --

> No virus found in this incoming message.

> Checked by AVG Free Edition. Version: 7.5.516 / Virus Database:

> 269.19.9/1237 - Release Date: 2008-01-22 11:04

>

>

Message-ID: <25701565.1201131882317.JavaMail.root@elwamui-milano.atl.sa.earthlink.net>

Date: Wed, 23 Jan 2008 17:44:42 -0600 (GMT-06:00)

From: David Stinson <arc5@ix.netcom.com>

To: Old Tube Radios <boatanchors@theporch.com>
Subject: Re: Capacitor replacement quandary (micamolds)
Mime-Version: 1.0
Content-Type: text/plain; charset=UTF-8
Content-Transfer-Encoding: 7bit

-----Original Message-----

>From: WA1KBQ@aol.com

>Nice work!! A radio that is easily
worth over \$50,000

?!!???!?!?!\$\$\$\$!!!!!!

(eyeballs falling out
and rolling on the floor....)
(.... faint..)

THUD

Mime-Version: 1.0
Message-Id: <p05210600c3bd9e0f9585@[192.168.2.2]>
Date: Wed, 23 Jan 2008 18:01:57 -0800
To: Old Tube Radios <boatanchors@theporch.com>
From: Richard Post <postr@ohiou.edu>
Subject: identify mystery one-tube chassis
Content-Type: text/plain; charset="us-ascii" ; format="flowed"

Pix and schematic sketch at:

<http://oak.cats.ohiou.edu/~postr/bapix/temp/>

or

<http://tinyurl.com/2tddln>

Found this at last weekend's Nelsonville hamfest. Factory punched and 5 inches square. Was missing its tube. Is a 12AU7 or pin equivalent. Didn't work as found. Got it singing as intended with the 3 added caps shown in revised schematic (see arrows on RevSchem). Enough parts to morph to a nice a little broadcast regen receiver. Before I modify it, would like to identify its source, probably a home-study electronics school.

Set me back a whole dollar. Let me know if you recognize it.

73, Rich KB8TAD

From: "Ed Zeranski" <ezeran@ezeran.cnc.net>
To: Old Tube Radios <boatanchors@theporch.com>
Cc: "Old Tube Radios" <boatanchors@theporch.com>
Subject: RE: "Funky" Polish Language Tube Site
Date: Wed, 23 Jan 2008 19:33:42 -0800
Message-ID: <EMEPKDEJDNHEMLEAHGKHEEGEFCAA.ezeran@ezeran.cnc.net>
MIME-Version: 1.0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

Na zdrowie to your kielbasa and piwo (in Polish...)

73, Meir WF2U
Landrum, Sc

My grandparents, originally from Eastern(Russian)Poland then Poznan made their own (homebrew?) sausage every year when I was a kid.

zdenkuye (spelling optional)73

EdZ

From: "Ed Zeranski" <ezeran@ezeran.cnc.net>
To: Old Tube Radios <boatanchors@theporch.com>
Subject: RE: "Funky" Polish Language Tube Site
Date: Wed, 23 Jan 2008 19:33:44 -0800
Message-ID: <EMEPKDEJDNHEMLEAHGKHGEGEFCAA.ezeran@ezeran.cnc.net>
MIME-Version: 1.0
Content-Type: text/plain;
 charset="iso-8859-1"
Content-Transfer-Encoding: 7bit

One of my friends, who used to run racks of r390s in several elit sites, (mandatory BA Content) told me a joke he heard in the Basque part of Spain. It seems that the devil wanted to steal some Basque souls, but did not know the language. So, he hid behind a Basque kitchen door for a year to listen in. After a year of this, the only words he learned were those to say, "Yes dear."

Trancends any language base! ~;^)

73

EdZ KG6UTS

From: Zengmeiste@aol.com
Message-ID: <c4d.293c04c2.34c96a0e@aol.com>
Date: Wed, 23 Jan 2008 23:11:58 EST
Subject: Pigtailing tools unavailable. Awww...
To: Old Tube Radios <boatanchors@theporch.com>
CC: gumbear@pacbell.net
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary="part1_c4d.293c04c2.34c96a0e_boundary"

--part1_c4d.293c04c2.34c96a0e_boundary
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* * * * *
* ---REMAINDER OF MESSAGE TRUNCATED--- *
* This post contains a forbidden message format *
* (such as an attached file, a v-card, HTML formatting) *
* Mail Lists at theporch.com only accept PLAIN TEXT *
* If your postings display this message your mail program *
* is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *

--part1_c4d.293c04c2.34c96a0e_boundary--

From: Zengmeiste@aol.com
Message-ID: <d49.1e7efde5.34c977ba@aol.com>
Date: Thu, 24 Jan 2008 00:10:18 EST
Subject: "Funky" Polish Language Tube Site
To: Old Tube Radios <boatanchors@theporch.com>
CC: gumbear@pacbell.net
MIME-Version: 1.0
Content-Type: multipart/mixed; boundary="part1_d49.1e7efde5.34c977ba_boundary"

--part1_d49.1e7efde5.34c977ba_boundary
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* * * * *
* ---REMAINDER OF MESSAGE TRUNCATED--- *
* This post contains a forbidden message format *
* (such as an attached file, a v-card, HTML formatting) *
* Mail Lists at theporch.com only accept PLAIN TEXT *
* * * * *

* If your postings display this message your mail program *
* is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *

--part1_d49.1e7efde5.34c977ba_boundary--

Date: Thu, 24 Jan 2008 09:47:11 -0500
From: guillaume gagnon dugas <collins2@globetrotter.net>
Subject: 6 volts lantern battery
To: Old Tube Radios <boatanchors@theporch.com>
Message-id: <004901c85e98\$00a7b550\$6500a8c0@qg529741f1d16a>
MIME-version: 1.0
Content-type: multipart/alternative;
boundary="Boundary_(ID_tN4zluzlgoc08KSfzgsmP)"

This is a multi-part message in MIME format.

--Boundary_(ID_tN4zluzlgoc08KSfzgsmP)
Content-type: text/plain; charset=iso-8859-1
Content-transfer-encoding: 7BIT

<http://www.wisebread.com/the-40-hidden-inside-a-12v-battery>

<http://www.wisebread.com/revenge-of-the-battery-hack-32-aas-inside-a-6v-lantern-battery-but-is-it-phoney>

i found these videos on internet. one video shows 32 AA batteries in the case of a 6 volts battery. another video shows 4 cells inside the 6 volts battery so i took one and opened it. mine has 4 cells. soldering a tap between the negative terminal and the second cell give a voltage of 3 volts. soldering a tap between the negative terminal and the third cell give 4.5 volts . now my 6 volts lantern battery me a power source of many usefull voltage. luc ve2lgj

--Boundary_(ID_tN4zluzlgoc08KSfzgsmP)
Content-Type: text/plain; charset=us-ascii
Content-Transfer-Encoding: 7bit

* * * * *
* ---REMAINDER OF MESSAGE TRUNCATED--- *
* This post contains a forbidden message format *
* (such as an attached file, a v-card, HTML formatting) *
* Mail Lists at theporch.com only accept PLAIN TEXT *
* If your postings display this message your mail program *
* is not set to send PLAIN TEXT ONLY and needs adjusting *
* * * * *

--Boundary_(ID_tN4zluzlgoc08KSfzgsmP)--

--Boundary_(ID_tN4z1uz1goc08KSfzgsmP)--
--Boundary_(ID_tN4z1uz1goc08KSfzgsmP)--

End of BOATANCHORS Digest 4137
